

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-26 (Canceled)

27. (New) A composition having enhanced thermal conductivity, comprising, in combination:
- a. a powder comprising particles selected from the group consisting of metals, metal alloys, metal blends, metal compounds, carbon, carbon derivatives and combinations thereof having a particle size of about 1 nanometer to about 1 micron;
  - b. a coating imparted to the powder particles; and
  - c. a heat transfer medium comprising an interpolymer prepared by polymerizing alpha-olefin monomer with vinylidene aromatic monomer and aliphatic vinylidene monomers with a volume ratio between 10:1 to 1:100 and a weight percent of 99 to 1 percent, and a polymerizable ethylenically unsaturated monomer, wherein the heat transfer medium further comprises a phase change medium selected from the group consisting of salt-hydrates, organic eutectics, clathrate-hydrates, paraffins, hydrocarbons, Fischer-Tropsch hard waxes, inorganic eutectic mixtures, acetamide, methyl fumarate, myristic acid, Glauber's salt, paraffin wax, fatty acids, methyl-esters, methyl palmitate, methyl stearate, mixtures of short-chain acids, capric and lauric acid, coconut fatty acids, propane and methane.
28. (New) The composition of claim 27, wherein the coating is capable of at least one of imparting corrosion resistance and acting as a dispersant.

29. (New) The composition of claim 28, wherein the coating acts as a dispersant of the powder in the heat transfer medium by at least one of increasing settling time of the powder, passivating the powder, reducing interfacial tension of the powder and increases adhesion to the powder.
30. (New) The composition of claim 27 wherein the powder particles have an average particle size of less than 10 microns.
31. (New) The composition of claim 30 wherein the powder particles have an average particle size within the range of 10 nm to 2  $\mu$ .
32. (New) A composition having enhanced thermal conductivity, comprising, in combination:
- a. a powder comprising particles selected from the group of metal, metal alloy, organic metal compounds, inorganic metal compounds, carbon and combinations thereof having an average particle size between 1 nanometer and 100 microns;
  - b. a coating imparted to the powder particles wherein the coating is selected from the group consisting of azoles, benzotriazole, tolytriazole, halogen resistant azoles, and substituted derivatives thereof; and
  - c. a heat transfer medium selected from the group consisting of monomers, interpolymers, polymers, and phase change materials.
33. (New) The composition of claim 32 wherein the powder is selected from the group of metals consisting of copper, titanium, nickel, beryllium, iron, silver, gold, alloys thereof, blends thereof, and compounds thereof.
34. (New) The composition of claim 32 wherein the powder is selected from the group of carbons consisting of graphite, carbon nanotubes, diamond, fullerene carbons of the general formula  $(C_2)_n$ , where n is an integer of at least 30, and blends thereof.

**35. (New)** The composition of claim 32 wherein the azole is selected from the group consisting of aromatic azoles, diazoles, triazoles, tetrazoles, benzotriazole, tolyltriazole, 2,5-(aminopentyl) benzimidazole, alkoxybenzotriazole, imidazoles, oleyl imidazoline, thiazoles, mercaptobenzothiazole, 1-phenyl-5-mercaptopentazole, thiodiazoles, halogen-resistant azoles, 5,6-dimethyl-benzotriazole; 5,6-diphenylbenzotriazole; 5-benzoyl-benzotriazole; 5-benzyl-benzotriazole and 5-phenyl-benzotriazole, a combination of alkoxybenzotriazole, mercaptobenzothiazole, tolyltriazole, benzotriazole, a substituted benzotriazole, and/or 1-phenyl-5-mercaptopentazole, a mixture of a pentane-soluble imidazoline, a pentane-soluble amide, a pyridine-based compound, a pentane-soluble dispersant, and a solvent, and combinations thereof.

**36. (New)** A composition having enhanced thermal conductivity, comprising, in combination:

- a. a powder comprising particles selected from the group of metal, metal alloy, organic metal compounds, inorganic metal compounds, carbon and combinations thereof having an average particle size between 1 nanometer and 100 microns;
- b. a coating imparted to the powder particles, wherein the coating further comprises an inorganic corrosion inhibitor compound; and
- c. a heat transfer medium selected from the group consisting of monomers, interpolymers, polymers, and phase change materials.

**37. (New)** A composition having enhanced thermal conductivity, comprising, in combination:

- a. a powder comprising carbon powder particles having an average particle size between 1 nanometer and 100 microns;
- b. a coating imparted to the powder particles wherein the coating further comprises a lignin-based compound, ethylene oxide/propylene oxide block copolymers, anionic surfactants, ionic surfactants and nonionic surfactants; and
- c. a heat transfer medium selected from the group consisting of monomers, interpolymers, polymers, and phase change materials.

38. (New) A composition having enhanced thermal conductivity, comprising, in combination:

- a. a powder comprising particles selected from the group consisting of aluminum and aluminum alloys having an average particle size between 1 nanometer and 100 microns;
- b. a cerium compound coating imparted to the powder particles; and
- c. a heat transfer medium selected from the group consisting of monomers, interpolymers, polymers, and phase change materials.

39. (New) A composition having enhanced thermal conductivity, comprising, in combination:

- a. a powder comprising particles selected from the group consisting of copper, silver, iron, steel and alloys thereof having an average particle size between 1 nanometer and 100 microns;
- b. a coating imparted to the powder particles, the coating being selected from the group consisting of mercapto-substituted thiodiazoles, amino-substituted thiodiazoles, and mercapto-substituted triazole, amino-substituted triazoles, oleyl imidazoline, triethanolamine and monoethanolamine; and
- c. a heat transfer medium selected from the group consisting of monomers, interpolymers, polymers, and phase change materials.

40. (New) The composition of claim 37 wherein the lignin-based compound further comprises at least one of a monovalent salt of lignin, free acid lignin, polyvalent metal salts of lignin, lignin sulfonic acid, alkali metal salts of lignin sulfonic acid, alkaline earth metal salts of lignin sulfonic acid, and ammonium salts of lignin sulfonic acid.

**41. (New) A composition having enhanced thermal conductivity, comprising, in combination:**

- a. a powder comprising carbon powder particles having an average particle size between 1 nanometer and 100 microns;
- b. a coating imparted to the powder particles, the coating being selected from the group consisting of alkali metal salts, alkali earth metal salts, ammonium salts, and alkyl ether phosphates; and
- c. a heat transfer medium selected from the group consisting of monomers, interpolymers, polymers, and phase change materials.